


GLOBEX[®]

EVACUATION CHAIRS



safe simple evacuation



There is a common misunderstanding that it is the responsibility of the emergency services to ensure everyone evacuates from a building safely, it is not !

It is a legal requirement for employers and service providers to ensure the safe evacuation of mobility impaired persons in the event of an emergency



do you think you are compliant ?

GLOBEX®

EVACUATION CHAIR



FACTS:

Today's law stipulates that it is no longer the duty of the Fire Service to make sure the workplace is safe. The duty now lies with 'the responsible person'

The responsibility is clearly with the building management or service providers to ensure there are suitable procedures in place to evacuate everyone including disabled people without relying on the fire service.

The responsible person must nominate a sufficient number of competent persons to implement procedures in so far as they relate to the evacuation of relevant persons from the premises

Building managers should not be contemplating refusing entry to disabled people but should have plans in place that ensure the safe evacuation of all building users whether or not the fire service is available.

There is no document which states that disabled people should be left in a building to wait for the fire service during a fire. In fact, current legislative documents and standards state that it is the responsibility of building management to ensure their safe escape by introducing suitable escape plans

Where equipment is provided to assist in the evacuation of disabled people (e.g. evacuation chairs), it is important to ensure that its operational capability is maintained.

The GLOBEX Evacuation Chair is a cost effective method of ensuring the safe evacuation of non-ambulant persons from the upper or lower levels of buildings in the event of an emergency or when lifts can not be used due to maintenance



don't wait until it is too late

GLOBEX[®] **EVACUATION CHAIR**



APPLICATIONS:

The **GLOBEX** Evacuation Chairs can be used on virtually all types of staircases where access is provided to upper and lower levels to safely evacuate non-ambulant persons.

- Public buildings
- Offices
- Retail premises
- Hospitals
- Educational establishments
- Aviation industry
- Marine industry
- Shopping centres
- Care industry
- Event management
- Emergency Services
- Personal use



be prepared

GLOBEX[®] **EVACUATION CHAIR**



ADVANTAGES OF THE GLOBEX EVACUATION CHAIR:

- Easily operated by one person
- Minimal training required
- Ready to use in seconds
- Four fixed wheels (no secondary wheels to deploy)
- No need to balance the chair at landings (improves safety)
- Simple deployment (no complicated clips or fastenings)
- Sturdy yet lightweight stylish design
- Descent is controlled by friction controlled custom-made high resistance belts in canvas reinforced with rubber
- Safety brakes on wheels
- Adjustable headrest
- Adjustable seat
- Quick release for lowering the handle
- Free standing facility
- Cover and wall bracket available
- Assists with compliance and good management practice
- Medical Devices Agency approved
- CE marked



the simple solution

GLOBEX[®] EVACUATION CHAIR



Compact storage either freestanding or wall mounted



Robust easy grip handle

Adjustable padded headrest

Telescopic handle

Quick release for lowering the telescopic handle

Adjustable strengthen seat (removable for cleaning)

Telescopic front carrying handles (GEC2 & 3) only

Lockable swivel wheels

Friction controlled custom-made high resistance belts in canvas reinforced with rubber

Deployed and ready for use within seconds



GLOBEX® EVACUATION CHAIR



TECHNICAL INFORMATION

| | GEC1 (down stairs only) | GEC2 (with carry option) | GEC3 - Aviation (with carry option) |
|-------------------------|-----------------------------------|------------------------------------|---|
| Construction: | Aluminium | Aluminium | Aluminium |
| Open height (mm): | 1600 | 1600 | 1600 |
| Folded height (mm): | 1140 | 1140 | 1140 |
| Width (mm): | 550 | 550 | 300 |
| Folded dimensions (mm): | 330 | 330 | 330 |
| Weight (kg): | 12.7 | 14.2 | 12.7 |
| Loading weight (kg): | 150 | 150 | 150 |

OUR QUALITY PRODUCTS SUPPORTED WITH QUALITY SERVICE.

In addition to our ongoing support, all our approved distributors have received our certified training and are able provide you with:

- on-site demonstrations
- immediate delivery from stock
- an installation service
- certified approved training – groups or train the trainer
- certified approved maintenance
- training and maintenance packages
- friendly, efficient service
- professional advice



safe simple evacuation



Marsden Fire Safety

**Tel : 0845 644 6515
or 01282 691616**